



Bike rack assembly 300-3333



Step 1, Assemble side

Parts


- 1x "20145- base" (171159)
- 1x "20145- column" (171158)
- 2x Bolt M10 x 70 mm
- 2x M10 nut

1:1-1:2, Assemble the parts

1:3, Attach the nuts loosely by hand



1:1



1:2



1:3



Tools required

- 1.Metal drill bit ø10 mm
- 2.Concrete drill bit ø8 mm
- 3.Socket wrenches 16 and 17

- 4.Ring spanners 16 and 17
- 5.Nutrunner
- 6.Hammer drill for fastening to floor

6 - 1


6 - 2

Step 2, Assemble lower centre beam

Parts

2x Parts from step 1
 1x "20150-Twin" (171164)
 4x Bolt M10 x 70 mm
 4x M10 nut

2:1, Assemble the parts
 2:2, Attach the nuts loosely by hand



2:1

2:2




Step 3, Assemble lower end beam

Parts

Parts from step 2
 2x "20151-Twin" (171165)
 8x Bolt M10 x 70 mm
 8x M10 nut

3:1, Assemble the parts
 3:2, Attach the nuts loosely by hand



3:1

3:2




6 - 3

Step 4, Assemble upper beam


Parts

Parts from step 3
 1x "20149-Twin" (171163)
 4x Bolt M10 x 110 mm
 4x M10 nut


4:1-4:2, Assemble the parts
 4:3, Attach the nuts loosely by hand



4:1



4:2



4:3



Step 5, Assemble the lower rails

Parts

Parts from step 4
 6x "20011" (fixed rail)
 24x Bolt M10 x 70 mm
 24x M10 nut


5:1, Assemble the parts
 5:2, Attach the nuts loosely by hand



5:1



5:2



6 - 4

Step 6, Put the bike rack on its side and tighten all the nuts


Parts

Parts from step 5

6:1, Put the bike rack on its side

6:2, Tighten all the nuts

6:3, Set the bike rack upright again




Step 7, Bolt the bike rack to the floor

Parts

Complete bike rack

at least 8x bolt, depending on the floor material



6 - 5

Step 8, Assemble the upper rails

Parts

Parts from step 7

6x "20022" (extendable rail)



18x Bolt M10 x 110 mm

18x M10 nut

8:1-8:2, Assemble the parts

8:3, Tighten the nuts

8:4, Tighten all the nuts



Done!

6 - 6